

# RIFLE

## CATALOG







**TM22**  
*Flash*

## NEW PRODUCT ZONE



**TM22-A-18  
FLASH C101**



**TM22-A-18  
FLASH C103**



**TM22-A-18  
FLASH C110**



**TM22-A-18 FLASH C111**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	FLASH C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
<b>TM22-A-18</b>	FLASH C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
<b>TM22-A-18</b>	FLASH C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 33"	Semi Automatic
<b>TM22-A-18</b>	FLASH C111	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,23 kg / 4.9 lb.	84 cm / 36"	Semi Automatic

## NEW PRODUCT ZONE



**TM22 PA-18 C101**



**TM22 PA-18\*  
C401**



**DYPA-18  
C401**



**DYPA-12  
C401**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22 PA-18</b>	C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,10 kg / 4.6 lb.	89.5 cm / 35.2"	Pump Action
<b>TM22 PA-18</b>	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.8 lb.	94.5 cm / 37.2"	Pump Action
<b>DYPA-18</b>	C401	9x19	1:10" RH, 6 Grooves	15+1	45.7 cm / 18"	2,30 kg / 5.0 lb.	95.5 cm / 37.5"	Pump Action
<b>DYPA-12</b>	C401	9x19	1:10" RH, 6 Grooves	15+1	30.5 cm / 12"	2,10 kg / 4.6 lb.	79 cm / 31"	Pump Action

\*AVAILABLE IN 12" AND 20" BARREL LENGTHS.

## NEW PRODUCT ZONE



**DYBA-20  
C401**



**DYBA-12  
C401**



**TM22 BA-18\*  
C401**



**TM22 BA-18\*  
C403**



**TM22 BA-18\*  
C411**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>DYBA-20</b>	C401	9x19	1:10" RH, 6 Grooves	15+1	50 cm / 20"	2,85 kg / 6.3 lb.	106.5 cm / 42"	Bolt Action
<b>DYBA-12</b>	C401	9x19	1:10" RH, 6 Grooves	15+1	30.5 cm / 12"	2,65 kg / 5.9 lb.	91.44 cm / 36"	Bolt Action
<b>TM22 BA-18*</b>	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
<b>TM22 BA-18*</b>	C403	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
<b>TM22 BA-18*</b>	C411	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action

\*AVAILABLE IN 16" AND 20" BARREL LENGTHS.

## NEW PRODUCT ZONE



**TM22M BA-18\***  
**C401**



**TM22M BA-18\***  
**C403**



**TM22M BA-18\***  
**C411**



**TM22 SP-18 C401**



**TM22M SP-18\***  
**C401**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22M BA-18*</b>	C401	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
<b>TM22M BA-18*</b>	C403	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
<b>TM22M BA-18*</b>	C411	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,00 kg / 4.4 lb.	93 cm / 36.6"	Bolt Action
<b>TM22 SP-18*</b>	C401	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,90 kg / 4.2 lb.	93 cm / 36.6"	Straight Pull
<b>TM22M SP-18*</b>	C401	.22WMR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,90 kg / 4.2 lb.	93 cm / 36.6"	Straight Pull

\*AVAILABLE IN 16" AND 20" BARREL LENGTHS.

# TM22

The TM22 is a .22LR classified as a hunting rifle. However, due to the fact that this caliber is one of the most popular calibers around the world, and the TM22 is a full aluminum or polymer (Feather version), reliable, and accurate rifle, it also allows for use in different fields such as training, practicing, and fun.

Of course, one of the main reasons for choosing this Semi-Automatic Rimfire are reduces recoil, the silence and the excitement during shooting. Our TM22 model, which offers various magazine options, is striking for its lightness, durability and accuracy when shooting. Thanks to the standard-compliant picatinny rail on the top you can easily mount various red-dot sights and scopes to achieve precise shooting.

With compatibility for an AR-type grip, a commercial buffer tube adapter, a top rail, and a forend that accepts most aftermarket accessories, this rifle is designed for users of all ages and a wide range of scenarios. This 18" barrel 34" Overall length .22LR rifle was built with no compromises and comes with two 10rd polymer magazines. Aftermarket factory 15rd and 25rd magazines are available.





# TM22-A-18 features

# FEELS



COMMERCIAL TUBE THREADS  
STOCK OPTIONS AVAILABLE



PICATINNY RAIL





# REVOLUTIONARY

TM22-A-18 CI01 | .22LR | 45.7cm / 18" Barrel | 2.80kg Weight | Semi Automatic

ALUMINIUM RECEIVER



FLAT TRIGGER

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET  
15RD / 25RD MAGAZINES



\*Adjustable Buttstock and Long Forends Available Upon Request



**TM22-A-18 CI01L\***



**TM22-A-16 CI01**



**TM22-A-12 CI01**



**TM22-A-18 CI03**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	CI01L	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1 lb.	86.5 cm / 34"	Semi Automatic
<b>TM22-A-16</b>	CI01	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	2,40 kg / 5.3 lb.	81.5 cm / 32"	Semi Automatic
<b>TM22-A-12</b>	CI01	.22LR	1:16" RH, 6 Grooves	10+1	30.5 cm / 12"	2,30 kg / 5.0 lb.	70 cm / 27.5"	Semi Automatic
<b>TM22-A-18</b>	CI03	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1 lb.	86.5 cm / 34"	Semi Automatic



TM22-A-18 CI09



TM22-A-18 CI10



TM22-A-18 CI11



TM22-A-18 CI16



GRAPHITE BLACK  
 BURN'T BRONZE  
 O.D. GREEN  
 STORMTROOPER WHITE  
 TUNGSTEN  
 FLAT DARK EARTH  
 ROBIN'S EGG BLUE  
 GOLD  
 BLUE TITANIUM  
 CRUSHED ORCHIDE  
 BARRET BROWN  
 MIDNIGHT BRONZE

AVAILABLE COLOURS



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
TM22-A-18	CI09	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	CI10	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	CI11	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic
TM22-A-18	CI16	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,80 kg / 6.1lb.	86.5 cm / 34"	Semi Automatic

# **TM22**

## **Feather**

**The TM22 Feather is an innovation in rifles, offering a feather-light and versatile shooting experience. Crafted with precision, this rifle features a polymer forend, receiver, stock, and magazine, all contributing to its exceptional lightweight design, making it comfortable and effortless to shoot.**

Unlike its aluminium counterpart, the TM22 Feather comes with an AR-type stock, enhancing control and adaptability during shooting. The ergonomic design complements the rifle's aesthetics. At its core lies a durable polymer receiver, a testament to modern engineering. This receiver not only reduces weight but also makes it suitable for shooters of all levels.

Retaining the essence of the versatile .22 LR caliber, the TM22 Feather caters to hunters, trainers, and recreational shooters. Experience reduced recoil, silence, and excitement with the TM22 Feather. It offers impeccable accuracy, multiple magazine options, and a picatinny rail for accessories.

This .22 LR rifle features a substantial 18" barrel, an overall length of 34", and comes with two 10rd polymer magazines. Additional 15rd and 25rd magazines are available.



# TM22-A-18 features

Feather

# PRECISION PERFECTED




**ADJUSTABLE STOCK & CHEEK PAD  
W/ FIXED COMMERCIAL TUBE**



**CARRY HANDLE INTEGRATED SIGHT  
W/ FRONT SIGHT**





# WEIGHT DEFLECTED

TM22-A-18 FEATHER CI01 | .22LR | 45.7cm / 18" Barrel | 2.20kg Weight | Semi Automatic



POLYMER AFTERMARKET MAGS

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET  
15RD / 25RD MAGAZINES





**TM22-A-18  
FEATHER C101**



**TM22-A-16  
FEATHER C101**



**TM22-A-12  
FEATHER C101**



**TM22-A-18 FEATHER  
C102**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9 lb.	86.5 cm / 34"	Semi Automatic
<b>TM22-A-16</b>	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	2,10 kg / 4.6 lb.	78.5 cm / 31"	Semi Automatic
<b>TM22-A-12</b>	Feather C101	.22LR	1:16" RH, 6 Grooves	10+1	30.5 cm / 12"	1,95 kg / 4.3 lb.	67.7 cm / 26.5"	Semi Automatic
<b>TM22-A-18</b>	Feather C102	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9 lb.	86.5 cm / 34"	Semi Automatic



**TM22-A-18  
FEATHER CI03**



**TM22-A-18 FEATHER  
CI10**



**TM22-A-18  
FEATHER CI13**



**TM22-A-18  
FEATHER CI17**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	Feather CI03	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
<b>TM22-A-18</b>	Feather CI10	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
<b>TM22-A-18</b>	Feather CI13	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic
<b>TM22-A-18</b>	Feather CI17	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,20 kg / 4.9lb.	86.5 cm / 34"	Semi Automatic

# TM22

## Standard

**TM22 Standard is one of the latest additions to Derya Arms' innovative TM22 ecosystem. Designed for .22LR ammunition, this model offers a lighter, more practical, and user-friendly shooting experience. Its compact and integrated design ensures easy handling and broad compatibility with various accessories.**

All signature features of the TM22 family are preserved in this model. It is compatible with polymer magazines of 10, 15, and 20 rounds, allowing users to use the same magazines across all TM22 rifles. The threaded muzzle enables attachment of compatible accessories such as suppressors or compensators. Thanks to its adjustable cheek riser, shooters can professionally align their sight picture when using scopes or red dots. Additionally, the 2 cm buttstock extension spacers allow customization of stock length for a perfect ergonomic fit. By removing the included extension piece, the rifle becomes ideal for younger or smaller shooters as well. A 22 mm concealed rail under the handguard provides easy installation of bipods, enhancing stability for precise shooting. With its lightweight and compact build, it's the perfect companion for outdoor shooting and field use. Moreover, special color options are available for female and young shooting enthusiasts. With the TM22 Standard, you'll be the center of attention at the range!





**TM22** features  
Standard

# SHOOT MORE



**AG STOCK W/ EXTENSIONS**



**PICATINNY RAIL**





# CARRY EASY

TM22-A-18 STANDARD CI01 | .22LR | 45.7cm / 18" Barrel | 2.20kg Weight | Semi Automatic

**AMBIDEXTROUS  
CHARGING HANDLE**



**1/2 x 28 UNEF THREAD**



**AVAILABLE AFTERMARKET  
15RD / 25RD MAGAZINES**





**TM22-A-18  
STANDARD C101**



**TM22-A-16  
STANDARD C101**



**TM22-A-18  
STANDARD C102**



**TM22-A-18  
STANDARD C103**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	Standard C101	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic
<b>TM22-A-16</b>	Standard C101	.22LR	1:16" RH, 6 Grooves	10+1	41 cm / 16"	1,70 kg / 3.7 lb.	89 cm / 35"	Semi Automatic
<b>TM22-A-18</b>	Standard C102	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic
<b>TM22-A-18</b>	Standard C103	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9 lb.	94 cm / 37"	Semi Automatic



**TM22-A-18  
STANDARD C110**



**TM22-A-18  
STANDARD C120**



**TM22-A-18  
STANDARD C122**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22-A-18</b>	Standard C110	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic
<b>TM22-A-18</b>	Standard C120	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic
<b>TM22-A-18</b>	Standard C122	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	1,80 kg / 3.9lb.	94 cm / 37"	Semi Automatic

# TM22<sup>LA</sup>

**The TM22 LA-18 is ready and waiting to be your next TM22 Rifle. The combination of our Ruby Rise and TM22 brought this unique model to the range. It has an aluminium receiver and magazine, which allows a reliable and accurate rifle and it can be used in different fields such as training, practicing and hunting.**

Have you ever seen a detachable magazine fed .22LR Lever Action? No? Then it is time for you to test this matchless Rimfire and enter the brand new world of Lever Actions. Thanks to the standard-compliant picatinny rail on the top you can easily mount all types of red dots and scopes to make perfect shoots.

You can also adjust the length and the cheek pad on the AG Stock. Of course, one of the main reasons for choosing this Lever Action Rimfire is the reduced recoil, the silence and the excitement during shooting. Our TM22 LA-18 model, which has various magazine options, is striking for its lightness, durability and accuracy when shooting. This 18" barrel 36" overall length .22LR rifle was built with no shortcuts, comes with two 10rd polymer magazines. Aftermarket factory 15rd and 25rd magazines are available.



# TM22 LA-18 features

# THE RIMFIRE LEVER ACTION



AG STOCK W/ EXTENSIONS



REBOUNDING HAMMER  
MECHANISM SAFETY





# TO A NEW EXPERIENCE

TM22 LA-18 C401 | .22LR | 45.72cm / 18" Barrel | 2.30kg Weight | Lever Action



COMPATIBLE  
W/ TM22 MAGS

1/2 x 28 UNEF THREAD



AVAILABLE AFTERMARKET  
15RD / 25RD MAGAZINES





**TM22 LA-18 C40I**



**TM22 LA-18 C10I**



**TM22 LA-18 C40IT**



**TM22 LA-18 C40ITF**



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22 LA-18</b>	C40I	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C10I	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,40 kg / 5.3 lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C40IT	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,95 kg / 6.5 lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C40ITF	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	3,10 kg / 6.8 lb.	91.44 cm / 36"	Lever Action



TM22 LA-18 C403



TM22 LA-18 C411



TM22 LA-18 C414



TM22 LA-18 C417



MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION
<b>TM22 LA-18</b>	C403	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C411	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C414	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action
<b>TM22 LA-18</b>	C417	.22LR	1:16" RH, 6 Grooves	10+1	45.7 cm / 18"	2,30 kg / 5.1lb.	91.44 cm / 36"	Lever Action

# ZY9

**Unconventional design, unmatched performance, and familiar AR handling. Derya offers you a selection of complete 9mm carbine rifles and pistols for your next training day on the range or competition. Choose from a variety of stock options, barrel lengths, furniture configurations, and more to find the right gun for you.**

The ZY9 is the first pistol from the house Derya and offers many features like stock options, AR9 trigger, picatinny rail, M-Lok forend and  $\frac{1}{2} \times 28$  UNEF thread on the barrel. It's precise, super precise. You can suppress it well, it fits in a compact package and 9mm is available just about anywhere. This pistol is chambered in 9mm with a 5.9" button rifled barrel supported by a full-length M-Lok forend. Besides, various barrel lengths are available.

Looking for something a little more refined and perhaps with a last round bolt hold open? It's definitely enhanced with the LRBHO as well as some small niceties that make building and using it an upgrade. The ZY9 is a closed bolt, blowback operated system driven by our 9mm bolt carrier group and feed with standard GLOCK® 9mm magazines. When we were designing the ZY9, our goals were reliability, affordability, and familiar controls for the user. The ZY9 redefines the submachine gun category with a new level of dual system.



# ZY9 features

# FAMILIAR



**STOCK OPTIONS**



**COMMERCIAL  
TUBE THREADS**

**ALUMINIUM UPPER &  
LOWER RECEIVER**





# UNCONVENTIONAL UNMATCHED

ZY9 B6-10 | CHI01 | 9x19 | 15cm / 5.9" Barrel | 2,60 kg / 5.7lb. | Semi Automatic

ZY9 B6-10 | DSI01 | 9x19 | 15cm / 5.9" Barrel | 2,70 kg / 5.95lb. | Semi Automatic



COMPATIBLE W/ AR9 TRIGGER

1/2 x 28 UNEF THREAD



OPTIONAL  
DUAL SYSTEM





**ZY9 B6-10  
CHI01**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B6-10</b>	CHI01	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B6-10</b>	DSI01	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS <sup>2</sup>



**ZY9 B6-10  
CHI03**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B6-10</b>	CHI03	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B6-10</b>	DSI03	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS <sup>2</sup>



**ZY9 B6-10  
CHI10**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B6-10</b>	CHI10	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B6-10</b>	DSI10	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS <sup>2</sup>



**ZY9 B6-10  
CHI11**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B6-10</b>	CHI11	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	1,90 kg / 4.1lb.	53 cm / 20.9"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B6-10</b>	DSI11	9x19	1:10" RH, 6 Grooves	17+1	15 cm / 5.9"	2,00 kg / 4.4lb.	53 cm / 20.9"	Semi Automatic	DS <sup>2</sup>

CH<sup>1</sup> = Charging Handle only on the top (AR style) DS<sup>2</sup> = Dual System, Charging handle on the top and on the side



**ZY9 B10-10  
DS1101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B10-10</b>	CH1101	9x19	1:10" RH, 6 Grooves	17+1	25.4 cm / 10"	3,20 kg / 7lb.	63.4 cm / 25"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B10-10</b>	DS1101	9x19	1:10" RH, 6 Grooves	17+1	25.4 cm / 10"	3,30 kg / 7.2lb.	63.4 cm / 25"	Semi Automatic	DS <sup>2</sup>



**ZY9 B10-10  
DS101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B10-10</b>	CH101	9x19	1:10" RH, 6 Grooves	17+1	25 cm / 10"	2,70 kg / 5.95lb.	69 cm / 27.1"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B10-10</b>	DS101	9x19	1:10" RH, 6 Grooves	17+1	25 cm / 10"	2,80 kg / 6.2lb.	69 cm / 27.1"	Semi Automatic	DS <sup>2</sup>



**ZY9 B14  
DS101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B14</b>	CH101	9x19	1:10" RH, 6 Grooves	17+1	37 cm / 14.5"	3,00 kg / 6.6lb.	80 cm / 31.5"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B14</b>	DS101	9x19	1:10" RH, 6 Grooves	17+1	37 cm / 14.5"	3,10 kg / 6.8lb.	80 cm / 31.5"	Semi Automatic	DS <sup>2</sup>



**ZY9 B16**  
**DS101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B16</b>	CH101	9x19	1:10" RH, 6 Grooves	17+1	41 cm / 16"	3,10 kg / 6.8lb.	84 cm / 33"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B16</b>	DS101	9x19	1:10" RH, 6 Grooves	17+1	41 cm / 16"	3,20 kg / 7lb.	84 cm / 33"	Semi Automatic	DS <sup>2</sup>



**ZY9 B18**  
**DS101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B18</b>	CH101	9x19	1:10" RH, 6 Grooves	17+1	45.7 cm / 18"	3,15 kg / 6.95lb.	89 cm / 35"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B18</b>	DS101	9x19	1:10" RH, 6 Grooves	17+1	45.7 cm / 18"	3,25 kg / 7.1lb.	89 cm / 35"	Semi Automatic	DS <sup>2</sup>



**ZY9 B20**  
**DS101**

MODEL	CODE	CALIBER	TWIST RATE	CAPACITY	BARREL	WEIGHT	OVERALL	ACTION	CHARGING HANDLE
<b>ZY9 B20</b>	CH101	9x19	1:10" RH, 6 Grooves	17+1	50 cm / 20"	3,20 kg / 7lb.	94 cm / 37"	Semi Automatic	CH <sup>1</sup>
<b>ZY9 B20</b>	DS101	9x19	1:10" RH, 6 Grooves	17+1	50 cm / 20"	3,30 kg / 7.3lb.	94 cm / 37"	Semi Automatic	DS <sup>2</sup>

CH<sup>1</sup> = Charging Handle only on the top (AR style)  
DS<sup>2</sup> = Dual System, Charging handle on the top and on the side



# ACTIONS **SPEAK** LOUDER

*deryaarms.com*

 support@deryaarms.com

 +90 (332) 514 8118

 Derya Silah San. Ltd. O.S.B. 41959 Sk. No:24 42700 Konya/TÜRKİYE

FOLLOW US      deryaarms



® DERYA SILAH SANAYI VE TİCARET LİMİTED SİRKETİ ARE REGISTERED TRADEMARKS, ALL RIGHTS RESERVED © 2026